

- convergent signalling pathways: A genetic analysis. *Mol Microbiol* 1998;28:449-61.
7. Rijavec M, Müller-Premru M, Zakotnik B, Zgur-Bertok D. Virulence factors and biofilm production among *Escherichia coli* strains causing bacteraemia of urinary tract origin. *J Med Microbiol* 2008;57:1329-34.
 8. Clinical and Laboratory Standards Institute. Performance Standards for Antimicrobial Susceptibility Testing. CLSI M100-S20U. Update June, 2010. Wayne, PA: Clinical and Laboratory Standards Institute; 2010.
 9. Black JA, Moland ES, Thomson KS. AmpC disk test for detection of plasmid-mediated AmpC beta-lactamases in *Enterobacteriaceae* lacking chromosomal AmpC beta-lactamases. *J Clin Microbiol* 2005;43:3110-3.
 10. Yan JJ, Wu JJ, Tsai SH, Chuang CL. Comparison of the double-disk, combined disk, and Etest methods for detecting metallo-beta-lactamases in gram-negative bacilli. *Diagn Microbiol Infect Dis* 2004;49:5-11.
 11. Clermont O, Bonacorsi S, Bingen E. Rapid and simple determination of the *Escherichia coli* phylogenetic group. *Appl Environ Microbiol* 2000;66:4555-8.
 12. Jaurexguy F, Carbonnelle E, Bonacorsi S, Clec'h C, Casassus P, Bingen E, *et al.* Host and bacterial determinants of initial severity and outcome of *Escherichia coli* sepsis. *Clin Microbiol Infect* 2007;13:854-62.
 13. Jakobsen L, Spangholm DJ, Pedersen K, Jensen LB, Emborg HD, Agersø Y, *et al.* Broiler chickens, broiler chicken meat, pigs and pork as sources of ExPEC related virulence genes and resistance in *Escherichia coli* isolates from community-dwelling humans and UTI patients. *Int J Food Microbiol* 2010;142:264-72.
 14. Soto SM, Smithson A, Martinez JA, Horcajada JP, Mensa J, Vila J. Biofilm formation in uropathogenic *E. coli* strains: Relationship with prostatitis, urovirulence factors and antimicrobial resistance. *J Urol* 2007;177:365-8.
 15. Johnson JR, Kuskowski MA, Owens K, Gajewski A, Winokur PL. Phylogenetic origin and virulence genotype in relation to resistance to fluoroquinolones and/or extended-spectrum cephalosporins and cephamycins among *Escherichia coli* isolates from animals and humans. *J Infect Dis* 2003;188:759-68.
 16. Johnson JR, Kuskowski MA, Gajewski A, Sahm DF, Karlowsky JA. Virulence characteristics and phylogenetic background of multidrug-resistant and antimicrobial-susceptible clinical isolates of *Escherichia coli* from across the United States, 2000-2001. *J Infect Dis* 2004;190:1739-44.
 17. Corvec S, Prodhomme A, Giraudeau C, Dauvergne S, Reynaud A, Caroff N. Most *Escherichia coli* strains overproducing chromosomal AmpC beta-lactamase belong to phylogenetic group A. *J Antimicrob Chemother* 2007;60:872-6.

How to cite this article: Chakraborty A, Saralaya V, Adhikari P, Shenoy S, Baliga S, Hegde A. Characterization of *Escherichia coli* phylogenetic groups associated with extraintestinal infections in South Indian population. *Ann Med Health Sci Res* 2015;5:241-6.

Source of Support: We would like to thanks API Karnataka for their financial support. **Conflict of Interest:** None declared.