

reporting of MRI images and, finally, the question of “what will it add to treatment?” that are often posed by the patients and their relations to the physicians.

Conclusion

As many PSP cases are clinically misdiagnosed, a characteristic neuroradiologic feature might improve the differential diagnosis. This case of PSP demonstrated how MRI of the brain assisted in diagnosing PSP.

Acknowledgment

The author would like to acknowledge Prof. (emeritus) Sarosh M. Katrak of the Jaslok Hospital and Research Centre, India, for his advice and support.

References

1. Steele JC, Richardson JC, Olszewski J. Progressive supranuclear palsy. A heterogeneous degeneration involving the brain stem, basal ganglia and cerebellum with vertical gaze and pseudobulbar palsy, nuchal dystonia and dementia. *Arch Neurol* 1964;10:333-59.
2. Duvoisin RC. Clinical diagnosis. In: Litvan I, Agid Y, editors. *Progressive Supranuclear Palsy: Clinical and Research Approaches*. New York: Oxford University Press; 1992. p. 15-33.
3. Mizusawa H. “Pure akinesia” and progressive supranuclear palsy. *No To Shinkei* 1993;45:113-8.
4. Litvan I, Mangone CA, McKee A, Verny M, Parsa A, Jellinger K, *et al*. Natural history of progressive supranuclear palsy (Steele–Richardson–Olszewski syndrome) and clinical predictors of survival: A clinicopathological study. *J Neurol Neurosurg Psychiatry* 1996;60:615-20.
5. Oba H, Yagishita A, Terada H, Barkovich AJ, Kutomi K, Yamauchi T, *et al*. New and reliable MRI diagnosis for progressive supranuclear palsy. *Neurology* 2005;64:2050-5.
6. Paviour DC, Price SL, Stevens JM, Lees AJ, Fox NC. Quantitative MRI measurement of superior cerebellar peduncle in progressive supranuclear palsy. *Neurology* 2005;64:675-9.
7. Burn DJ, Lees AJ. Progressive supranuclear palsy: Where are we now? *Lancet Neurol* 2002;1:359-69.
8. Lubarsky M, Juncos JL. Progressive supranuclear palsy: A current review. *Neurologist* 2008;14:79-88.
9. Ogun SA. Parkinson’s disease: A review. *AJNS* 2002;21:30-6.
10. Morens DM, Grandinetti A, Reed D, White LR, Ross GW. Cigarette smoking and protection from parkinson’s disease: False association or etiologic clue? *Neurology* 1995;45:1041-51.
11. Morris HR, Wood NW, Lees AJ. Progressive supranuclear palsy (Steele–Richardson–Olszewski disease). *postgrad Med J* 1999;75:579-84.
12. Masliah E, Hansen LA, Quijada S, DeTeresa R, Alford M, Kaus J, *et al*. Late onset dementia with argyrophilic grains and subcortical tangles or a typical progressive supranuclear palsy? *Ann Neurol* 1991;29:389-96.
13. Matsuo H, Takashima H, Kishikawa M, Kinoshita I, Mori M, Tsujihata M, *et al*. Pure akinesia: An atypical manifestation of progressive supranuclear palsy. *J Neurol Neurosurg Psychiatry* 1991;54:397-400.
14. Hauw JJ, Daniel SE, Dickson D, Horoupian DS, Jellinger K, Lantos PL, *et al*. Preliminary NINDS neuropathologic criteria for Steele–Richardson–Olszewski syndrome (progressive supranuclear palsy). *Neurology* 1994;44:2015-9.
15. Aiba I, Hashizume Y, Yoshida M, Okuda S, Murakami N, Ujihira N. Relationship between brainstem MRI and pathological findings in progressive supranuclear palsy: Study in autopsy cases. *J Neurol Sci* 1997;152:210-7.
16. Schrag A, Good CD, Misziel K, Morris HR, Mathias CJ, Lees AJ, *et al*. Differentiation of atypical parkinsonian syndromes with routine MRI. *Neurology* 2000;54:697-702.
17. Mailliot C, Sergeant N, Bussi ere T, Caillet-Boudin ML, Delacourte A, Bu e L. Phosphorylation of specific sets of tau isoforms reflects different neurofibrillary degeneration processes. *FEBS Lett* 1998;433:201-4.
18. Ohara S, Kondo K, Morita H, Maruyama K, Ikeda S, Yanagisawa N. Progressive supranuclear palsy-like syndrome in two sibs of a consanguineous marriage. *Neurology* 1992;42:1009-14.
19. Kato N, Arai K, Hattori T. Study of the rostral midbrain atrophy in progressive supranuclear palsy. *J Neurol Sci* 2003;210:57-60.
20. Tsuboi Y, Slowinski J, Josephs KA, Honer WG, Wszolek ZK, Dickson DW. Atrophy of superior cerebellar peduncle in progressive supranuclear palsy. *Neurology* 2003;60:1766-9.
21. Quattrone A, Nicoletti G, Messina D, Fera F, Condino F, Pugliese P, *et al*. Magnetic resonance imaging index for differentiation of progressive supranuclear palsy from parkinson disease and the parkinson variant of multiple system atrophy. *Radiology* 2008;246:214-21.
22. Morelli M, Arabia G, Novellino F, Salsone M, Giofr e L, Condino F, *et al*. MRI measurements predict PSP in unclassifiable parkinsonisms: A cohort study. *Neurology* 2011;77:1042-1047.
23. Longoni G, Agosta F, Kostic VS, Stojkovic T, Pagani E, Stošic-Opin al T, *et al*. MRI measurements of brainstem structures in patients with Richardson’s syndrome, progressive supranuclear palsy-parkinsonism, and Parkinson’s disease. *Mov Disord* 2011;26:247-55.
24. Karimi M, Perlmutter JS. MRI measures predict progressive supranuclear palsy: Clinically useful? *Neurology* 2011;77:1028-9.

How to cite this article: Owolabi LF. Progressive supranuclear palsy misdiagnosed as *Parkinson’s disease*: A case report and review of literature. *Ann Med Health Sci Res* 2013;3:S44-7.

Source of Support: Nil. **Conflict of Interest:** None declared.